



MATERIAL HANDLING EQUIPMENT &
STORAGE SOLUTIONS

OUR COMPANY



Mtech Corporation is one of the top manufacturers of Material Handling Equipment and Storage solutions in India.

We deal in standard as well as tailor-made offerings and are a sought-after brand domestically and internationally. Besides being situated in the manufacturing hub of India, we have many more advantages in our favour. Our in-house design team and latest technology come together to deliver ace products to our customers. Cement, Chemical, Paper, pharmaceutical, automobile and many other industries use our gear to better their logistics.

A large part of our success is due to our strong value system. We function on principles of: Transparency, Trust, Equality, Stability, Effective Communication and Teamwork.

VISION

We are committed to consistently offer world-class material handling solutions at the best price along with excellent service.

MISSION

- + To adhere to uncompromised quality measures at every stage
- + To constantly innovate and update
- + Customer Satisfaction is to be our priority

CERTIFICATES











1.	Pallet Truck	01
2.	Stacker	02
3.	Drum Equipment	03
4.	Drum Trolley	04
5.	Floor Crane	05
6.	Dock Equipment	06
7.	Hydraulic Goods Lift	07
8.	Hydraulic Scissor Lift	08
9.	Highrise Hydraulic Scissor Lift	09
10	. Aluminum Aerial Work Platform	10
11	. Car Lift	11
12	2. Racks	12
13	3. Mezzanine Floor	14
14	. Locker & Cabinet	15
15	5. Aluminum Ladders	16

CLIENTS











































PALLET TRUCK



Hand Pallet Truck MTC-HPT-101

Capacity: 2.5 / 3 / 5 Ton Fork Size: 1150x550 / 1220x685 mm Wheel: Nylon / PU / MS



Customised Pallet Truck MTC-CHPT-102


Capacity: 2.5 / 3 / 5 Ton Fork Size: As Per Requirement Wheel: Nylon / PU / MS



Weigh Scale Pallet Truck MTC-WSHPT-103

Capacity: 2.5 / 3 / 5 Ton Fork Size: As Per Roll Diameter Wheel: Nylon / PU / MS





Paper Roll Pallet Truck MTC-RHPT-104

Capacity: 2.5 / 3 /5 Ton Fork Size: 1150x550 / 1220x685 mm Lifting Height: 800/1000 mm Wheel: Nylon / PU



High Lift Pallet Truck MTC-HL-105

Capacity: 0.8 / 1 Ton Fork Size: 1150x550 / 1220x685 mm Lifting Height: 800/1000 mm Wheel: Nylon / PU



Economic Pallet Truck MTC-EHPT-106

Capacity: 1.5 Ton Fork Size: 1150x550 / 1220x685 mm



Battery Operated Pallet Truck MTC-BOPT-107

Capacity: 2 / 2.5 Ton Fork Size: 1150x550 / 1220x685 mm



Battery Operated Pallet truck MTC-BOPT-108

Capacity: 1.5 / 2 Ton Fork Size: 1150x550 / 1220x685 mm

STACKER



Manual Hydraulic Stacker MTC-MST-109

Capacity: 0.5 / 1 / 1.5 Ton **Lifting Height:** 1.6 to 3 Mtr.



Electric Hydraulic Stacker MTC-EST-110

Capacity: 0.5 / 1 / 1.5 Ton Lifting Height: 2 to 6 Mtr.



Semi Battery Stacker MTC-SBST-111

Capacity: 0.5 / 1 / 1.5 Ton Lifting Height: 1.6 to 4.5 Mtr.



Hydraulic Paper Reel Stacker MTC-PRST-112

Capacity: 0 / 1 / 1.5 Ton Lifting Height: 1.6 to 3 Mtr.



Economic Power Stacker MTC-EPST-113

Capacity: 0.5 / 1 / 1.5 Ton **Lifting Height:** 1.6 to 4.5 Mtr.



Power Stacker MTC-PST-114

Capacity: 1 / 1.2 / 1.5 Ton Lifting Height: 3 to 6.3 Mtr.



Cage Stacker MTC-CST-115

Capacity: 0.5 / 1 / 1.5 Ton **Lifting Height:** 1.6 to 4 Mtr



Counter Balance Power Stacker MTC-CBPST-116

Capacity: 1 / 1.5 Ton Lifting Height: 1.6 to 4.5 Mtr.



Hydraulic Roller Stacker MTC-RST-117

Capacity: 0.5 / 1 / 1.5 Ton **Lifting Height:** 1.6 to 3 Mtr.

DRUM EQUIPMENT



Manual Hydraulic Drum Lifter & Tilter MTC-DLT-118

Capacity: 350 - 500Kg Lifting Height: 1.6 to 2.5 Mtr.



Electric & Battery Drum Lifter & Tilter MTC-DLT-119

Capacity: 450 Kg. Lifting Height: 1.6 to 2.5 Mtr.



Fully Electric Drum Lifter & Tilter MTC-DLT-120

Capacity: 600 Kg. Lifting Height: 1.6 to 2.5 Mtr.



Manual-Hydraulic Drum Stacker MTC-DTF450C-121

Capacity: 450 Kg Lifting Height: 1.6 to 2.5 Mtr.



Electric & Battery Drum Stacker MTC-DT500-122

Capacity: 500 Kg Lifting Height: 1.6 to 2.5 Mtr



Pedal Hydraulic Drum Carrier MTC-DTF450A-123

Capacity: 450 Kg Lifting Height: 300 mm 'V' & 'U' Shape Legs



Hydraulic Drum Truck MTC-DT250-124

Capacity: 250 Kg. Lifting Height: 250mm



Pedal Hydraulic Drum Carrier MTC-DT350A-125

Capacity: 350 Kg. Lifting Height: 300 mm 'V' & 'U' Shape Legs



Forklift Drum Grab MTC-DG360-126

Capacity: 360 / 720 / 1080 / 1440 Kg. Parrot Beak Hook: 1/2/3/4

DRUM TROLLEY





Drum Trolley 3 Wheeler MTC-DT-127

Capacity: 350 kgs
Wheel: Nylon / PU / Pneumatic /
scooter Wheel



Drum Trolley 4 Wheeler MTC-DT-128

Capacity: 350 kgs Wheel: Nylon / PU / Pneumatic / Scooter Wheel



Drum Handler

Capacity: 350 kgs Wheel: Rubber / Nylon

MTC-DH-129



Cylinder Truck MTC-CT-130

Capacity: 200Kg Type: A. Single Cylinder Type: B. Double Cylinder



Mechanical Drum Tilter Trolley MTC-MDTT-131

Capacity: 350 Kg Lifting: 150 mm



Power Propelled Drum Racker MTC-PPDR-132

Capacity: 0.5 to 5 Ton

Hook Height: As Per Requirement

Clear Span: As Per Requirement



Drum Dolley MTC-DD-133

Capacity: 350 kgs Wheel: UHMW Wheel: 6/2



Cage Trolley MTC-CT-134

P.S: 1500 x 900 mm Capacity: 500/1000 kgs Wheel: Nylon/ Scooter Wheel



Platform Truck MTC-PT-135

Capacity: 500 kgs
P. S: 900 x 600 mm
Wheel: Nylon/PU/Pneumatic/
Solid Rubber



FLOOR CRANE & CRANE



Manual Floor Crane MTC-136

Capacity: 0.5 to 5 Ton Hook Height: 0.5 to 3 Mtr. Customizable Operating: Manual / Electric / Battery



Economic Floor Crane MTC-137

Capacity: 1 to 3 Ton Hook Height: 0.5 to 3 Mtr. (Customizable) **Operating: Battery Operated**



Counter Balance Floor Crane MTC-138

Capacity: 1 to 5 Ton Boom Extension: As Per Requirement Boom Height: As Per Requirement **Operating:** Fully Battery Operated



Portable Gantry MTC-139

Capacity: 0.5 to 5 Ton Hook Height: As Per Requirement Clear Span: As Per Requirement



Single Girder Crane MTC-140

Capacity: 0.5 to 5 Ton Hook Height: As Per Requirement Clear Span: As Per Requirement



Double Girder Crane MTC-141

Capacity: 0.5 to 5 Ton Hook Height: As Per Requirement Clear Span: As Per Requirement



Jib Crane MTC-142

Capacity: 0.5 / 1 / 1.5 / 2 / 2.5 Ton Lifting Height: 2 to 8 Mtr. Plat form Size: As Per Requirement



Electric Wire Rope Hoist MTC-143

Capacity: 0.5 / 1 / 1.5 Ton Lifting Height: 2 to 8 Mtr



Chain Pulley & Trolley MTC-144


Capacity: 1 to 5 Ton Lifting Height: 2 to 10 Mtr.

DOCK EQUIPMENT

MOBILE DOCK RAMP







TECHNICAL SPECIFICATION

QUANTITY	: 1 NOS.
CAPACITY	: 10000 kg
RAMP LENGTH	: 11400 mm
RAMP WIDTH	: 2200 mm
RAMP HEIGHT	: 1200 mm
RAILING HEIGHT	: 400 mm
MAX, LIFTING	: 1700 mm





Hydraulic Mobile Dock Ramp MTC-DR-145


Capacity: 10 to 15 ton Lifting Height: 1700 mm Min Height: 1200 mm

Length & Width: 11400 x 2200 mm

DOCK LEVELLER







Dock Leveller MTC-DL-146

Capacity: 10 to 15 ton Lifting Height: 1300 to 1700 mm Min Height: 1000 to 1200 mm Length & Width: 2730 x 2000 mm

EDGE DOCK LEVELLER





MOVABLE DOCK LIFT



Edge Dock Leveller MTC-EDL-147

Capacity: 10 to 15 ton

Lifting Height: 1300 to 1500 mm Min Height: 1000 to 1200 mm Length & Width: 1830 x 367 mm

Movable Dock Lift MTC-MDL-148

Capacity: 0.5 to 1.5 ton Lifting Height: 1700 mm Min Height: 200 mm

Length & Width: 2000 x 1500 mm

HYDRAULIC GOODS LIFT



SINGLE MAST GOODS LIFT



PLATFORM TYPE



CABINE TYPE

Single Mast Goods Lift MTC-SMGL-149 Capacity: 0.5 / 1 / 1.5 ton

Lifting Height: 2 to 8 mtr Min Height: 300 mm


Platform Size: 1500 x 1500 mm

DOUBLE MAST GOODS LIFT





CABINE TYPE



Single Mast Type

Three Levels(Tripple Control)

Double Mast Goods Lift MTC-DMGL-150

Capacity: 1 to 5 ton Lifting Height: 1 to 12 Mtr Min Height: 300 mm

Platform Size: As Per Requirement

CENTER CYLINDER (BORWELL TYPE)

PLATFORM TYPE





PLATFORM TYPE

CABINE TYPE

Center Cylinder (Borwell Type) MTC-CCGL-151

Capacity: 0.5 to 15 ton Lifting Height: Up to 12 Mtr Min Height: 1000 mm

Platform Size: As Per Requirment

HYDRAULIC SCISSOR LIFT

MANUAL SCISSOR TROLLEY





Model No: 152		MTC-SLTT-150	MTC-SLTT-350	MTC-SLTT-500	MTC-SLTT-1000	MTC-SLTT-800	MTC-SLTT-1000	MTC-SLTT-1500
Load Capacity	kg	150	350	500	1000	800	1000	1500
Lowest Height	mm	200	350	280	415	450	500	500
Max. Height	mm	720	1300/1500	900	1000	1500	1700	1700
Table Dimensions	mm	700*450*35	900*500*50	815*500*50	1016*510*60	1200*610*60	1200*610*80	1200*610*80
Dia. of the Wheel	mm	¢ 100	¢ 125	¢ 125	¢ 150	¢ 125	¢ 150	¢ 150
Net Weight	kg	40	106	182	112	150	225	225
Packing Dimensions	mm	820*470*230	1010*520*380	900*510*310	1140*570*450	1380*610*460	1370*610*500	1370*610*500

PIT MOUNT SCISSOR TABLE





Pit Mount Scissor Table MTC-PMST-153

Capacity: 0.5 to 15 ton

Lifting Height: As Per Requirement

Min Height: As Per Height

Length & Width: As Per Requirement

MOVABLE SCISSOR LIFT





Movable Scisser Lift MTC-MSL-154

Capacity: 0.5 to 2 ton

Lifting Height: As Per Requirement

Min Height: As Per Height

Length & Width: As Per Requirement

HIGHRISE HYDRAULIC SCISSOR LIFT

MANUAL PUSHING - SCISSOR LIFT





Model No. 155	Mk600	Mk750	Mk900	Mk1100	Mk1200	Mk1400	Mk1600	Mk600T	Mk900T	Mk1200T
S.W.L on extension	500kg	500kg	500kg	500kg	500kg	500kg	300kg	1000kg	1000kg	1000kg
Platform height max	6m	7.5m	9m	11m	12m	14m	16m	6m	9m	12m
Plate form size L*W	1.85*0.88m	1.8*1.00m	1.8*1.00m	2.1*1.15m	2.45*1.35m	2.45*1.35m	2.75*1.5m	1.08*1.00m	1.8*1.25m	2.45*1.35m
Overall size (L*W*H)	1.9*1.12* 0.75m	1.85*1.24* 1.5m	1.85*1.24* 1.65m	2.25*1.59* 1.85m	2.15*1.59* 1.85m	2.25*1.59* 2m	2.25*1.74* 1.85m	1.85*1.24* 1.1m	1.95*1.45* 1.75m	2.5*1.55* 1.85m
Lifting time	54S	728	80S	88S	908	120S	130S	80S	100S	1358
Motor power	1.5kw	1.5kw	1.5kw	22kw	3kw	3kw	3kw	2.2kw	3kw	4kw
Power voltage	AC380V	AC380V	AC380V	AC380V	AC380V	AC380V	AC380V	AC380V	AC380V	AC380V
Weight	650kg	1100kg	1260kg	1380kg	18050kg	2150kg	2680kg	950kg	1510kg	2700kg
Tyre	200 Polyurethane							***		

	of the section of the section of	20 N 10 N 10 N	- 774 (20 Sec. 1911)	10 10 10 10 10	COLUMN TO SERVICE DE LA COLUMN TO SERVICE DESTRUCTURA DE LA COLUMN TO SERVICE	CONTRACTOR STREET	2012/08/07 10:00			
Optional Motorized Device With DC Power										
Driving Motor	0.75kw	0.75kw	0.75kw	0.75kw	0.75kw	1.2kw	1*2kw	0.75kw	1.2kw	1.2kw
Lifting Motor	2.2kw	2.2kw	2.2kw	3kw	3kw	2*3kw	2*3kw	3kw	3kw	2.2kw
Power Source	120AH*2	120AH*2	120AH*2	150AH*2	200AH*2	150AH*2	150AH*2	150AH*2	200AH*2	150AH*4
Charger	4V/15A	24V/15A	24V/15A	24V/15A	24V/15A	24V/15A	24V/15A	24V/15A	24V/15A	24V/15A
Overall Size (L*W*H)	1.95*1.08* 1.1m	1.95*1.02* 1.54m	1.95*1.02* 1.68m	2.25*1.35* 1.7m	2.5*1.55* 1.88m	2.5*1.55* 2m	2.85*1.75* 2.1m	1.96*1.2* 1.45m	1.95*1.45* 1.75m	2.5*1.55* 1.88m

SELF PROPELLED SCISSOR LIFT



Model No. :156	MX580X	MX600SN	ME800SN	MX800S	MX1000S	MX1200S
S. W. L	230KG	230KG	230KG	450KG	320KG	320KG
S. W. L on extension	113KG	113KG	113KG	113KG	113KG	113KG
Max. workers height	2	2	2	2	2	2
Working height max	7.08m	8m	10m	10m	12m	13.80m
Platform height max	5.08m	6m	8m	8m	10m	11.80m
Overall length	1.81m	2.43m	2.43m	2.43m	2.43m	2.43m
Overall weight	0.76m	0.81m	0.81m	1.15m	1.15m	1.15m
Overall height(rails up)	2.16m	2.18m	2.3m	2.31m	2.42m	2.55m
Overall height(rails down)	1.82m	1.85m	1.85m	1.76m	1.91m	2.03m
Platform size(L*W)	1.67*0.74m	2.27*0.81m	2.27*0.81m	2.27*1.12m	2.27*1.12m	2.27*1.12m
Platform ext. size	0.90m	0.90m	0.90m	0.90m	0.90m	0.90m
Platform clearance(stowed)	0.09m	0.10m	0.10m	0.10m	0.10m	0.10m
Ground clearance(Raised)	0.019m	0.019m	0.019m	0.019m	0.019m	0.019m
Wheelbase	1.36m	1.87m	1.87m	1.87m	1.87m	1.87m
Turning radius(inside)	0m	0m	0m	0m	0m	0m
Turning radius(outside)	1.64m	2.10m	2.10m	2.20m	2.20m	2.20m
Lift & drive motor	24V/3.3kw	24V/3.3kw	24V/3.3kw	24V/3.3kw	24V/3.3kw	24V/4.5kw
Travel speed(stowed)	3.0km/h	3.0km/h	3.0km/h	3.0km/h	3.0km/h	3.0km/h
Travel speed(raised)	1km/h	1km/h	1km/h	1km/h	1km/h	1km/h
Raise/lower time	18/22sec	35/25sec	40/30sec	40/30sec	60/40sec	70/45sec
Power source	4*6v/210Ah	4*6v/225Ah	4*6v/225Ah	4*6v/225Ah	4*6v/240Ah	4*6v/260Ah
Charger	24V/34A	24V/34A	24V/34A	24V/34A	24V/34A	24V/34A
Grade ability	25%	25%	25%	25%	25%	25%
Max. working stop	1.5°/3°	2°/3°	1.5°/3°	2°/3°	2°/3°	1.5°/3°
Tire size	305*100	380*129	380*129	380*129	380*129	380*129
Weight	1400kg	1945kg	2100kg	2175kg	2468kg	2830kg

ALUMINIUM AERIAL WORK PLATFORM

SINGLE MAST AERIAL WORK PLATFORM





Model No.	: 157	ME600-2	ME800-2	ME900-2	ME1000-2
Lift capaci	ty	130kg	130kg	130kg	130kg
Platform occ	upancy max	1	1	1	1
Working hei	ight max	8.00m	10.00m	11.00m	12.00m
Platform hei	ight max	6.00m	8.00m	9.00m	10.00m
Stowed ler	ngth	1.34m	1.34m	1.45m	1.45m
Stowed we	eight	0.85m	0.85m	0.85m	0.85m
Stowed he	ight	2.00m	2.00m	2.00m	2.00m
Platform s	ize	0.60*0.55m	0.60*0.55m	0.60*0.55m	0.60*0.55m
Outrigger	footprint	1.7*1.67m	1.7*1.67m	1.97*1.77m	1.97*1.77n
Ground cle	earance	0.05m	0.05m	0.05m	0.05m
Lifting mot	tor(AC)	0.75kw	0.75kw	0.75kw	0.75kw
Weight(AC	;)	370kg	390kg	400kg	420kg
	Power source	24V/80Ah	24V/80Ah	24V/80Ah	24V/80Ah
Opt. config.	Lifting motor(DC)	0.80kw	0.80kw	0.80kw	0.80kw
	Charger	24V/15A	24V/15A	24V/15A	24V/15A

DUAL MAST AERIAL WORK PLATFORM



Model No	.: 158	ME600-2	ME800-2	ME900-2	ME1000-2	ME1200-2	ME1400-2
Lift capacit	ty	200kg	200kg	200kg	200kg	200kg	150kg
Platform occ	upancy max	1	1	1	1	1	1
Working hei	ght max	8.00m	10.00m	11.00m	12.00m	14.00m	16.00m
Platform hei	ght max	6.00m	8.00m	9.00m	10.00m	12.00m	14.00m
Stowed len	gth	1.54m	1.54m	1.54m	1.76m	1.76m	1.9m
Stowed we	ight	1.60m	1.00m	1.00m	1.00m	1.00m	1.16m
Stowed hei	ight	2.00m	2.00m	2.00m	2.00m	2.00m	2.00m
Platform si	ze	1.30*0.62m	1.30*0.62m	1.30*0.62m	1.52*0.62m	1.52*0.62m	1.52*0.62m
Outrigger f	footprint	1.77*1.82m	1.77*1.82m	1.77*1.82m	1.77*1.82m	1.77*1.82m	1.77*1.82m
Ground cle	arance	0.05m	0.05m	0.05m	0.05m	0.05m	0.05m
Lifting mot	or(AC)	1.1kw	1.1kw	1.1kw	1.1kw	1.1kw	1.1kw
Weight(AC	()	600kg	660kg	730kg	780kg	830kg	900kg
	Powersource	24V/100Ah	24V/100Ah	24V/100Ah	24V/100Ah	24V/100Ah	24V/100Ah
Opt. config.	Lifting motor(DC)	0.80kw	0.80kw	0.80kw	0.80kw	1.5kw	1.5kw
50 80	Charger	24V/15A	24V/15A	24V/15A	24V/15A	24V/15A	24V/15A

MULTI MAST AERIAL WORK PLATFORM



Model No.	: 159	ME1600-6	ME1800-6	ME2000-6	ME2200-6
Lift capaci	Lift capacity		150kg	150kg	150kg
Platform oc	Platform occupancy max		1	1	1
Working he	ight max	18.00m	20.00m	22.00m	24.00m
Platform he	ight max	16.00m	18.00m	20.00m	22.00m
Stowed ler	ngth	2.28m	2.28m	2.50m	3.00m
Stowed we	eight	1.60m	1.60m	1.60m	1.60m
Stowed he	ight	2.18m	2.42m	2.62m	2.82m
Platform s	ize	1.42*1.1m	1.45*1.1m	1.55*1.1m	1.55*1.1m
Outrigger	footprint	3.2*3.0m	3.2*3.0m	3.5*3.2m	4.2*3.5m
Ground cl	earance	0.15m	0.15m	0.15m	0.15m
Lifting mo	tor(AC)	2.2/1.1kw	2.2/1.1kw	2.2/1.1kw	2.2/1.1kw
Weight(AC	C)	1450kg	1650kg	1850kg	2200kg
	Power source	24V/120Ah	24V/120Ah	24V/120Ah	24V/120Ah
Opt. config.	Lifting motor(DC)	2.2/0.80kw	2.2/0.80kw	2.2/0.80kw	2.2/0.80kw
	Charger	24V/15A	24V/15A	24V/15A	24V/15A

CAR LIFT



PIT MOUNTED SCISSOR CAR LIFT





Pit Mounted Scissor Car Lift MTC-PMSCL-160

Capacity: 3 to 5 ton

Lifting Height: As Per Requirement **Min Height:** As Per Requirement **Length & Width:** 5200 x 2600 mm

MOVABLE SCISSOR CAR LIFT





Movable Scissor Car Lift MTC-MSCL-161

Capacity: 3 to 5 ton

Lifting Height: As Per Requirement **Min Height:** As Per Requirement **Length & Width:** 5200 x 2600 mm

CENTER CYLINDER SCISSOR CARLIFT





Center Cylinder (Borwell Type) Car Lift MTC-CCCL-162

Capacity: 0.5 to 15 ton

Lifting Height: As Per Requirement Min Height: As Per Requirement Length & Width: As Per Requirement





SLOTTED ANGLE RACK



Slotted Angle Rack

Capacity: 50kg to 100kg **H * W *D :** 84*36*18

As per Requirement

PIGEON RACK





WITHOUT BORDER

WITH BORDER

Slotted Angle - Pigeon Rack

Capacity: As Per Requirement
Lifting Height: As Per Requirement
Min Height: As Per Requirement
Length & Width: As Per Requirement

MOULD DIE RACK





Mould Die Rack

Capacity: As Per Requirement
Lifting Height: As Per Requirement
Min Height: As Per Requirement
Length & Width: As Per Requirement

RACKS



HEAVY DUTY - SHELVING RACK



HEAVY DUTY- PALLETISER RACK



REEL STACKING RACK



Heavy Duty - Shelving Rack

Capacity: As Per Requirement
Lifting Height: As Per Requirement
Min Height: As Per Requirement
Length & Width: As Per Requirement

Heavy Duty - Palletiser Rack

Capacity: As Per Requirement
Lifting Height: As Per Requirement
Min Height: As Per Requirement
Length & Width: As Per Requirement

Reel Stacking Rack

Capacity: As Per Requirement
Lifting Height: As Per Requirement
Min Height: As Per Requirement
Length & Width: As Per Requirement

MEZZANINE FLOOR

CORPORATION

MEZZANINE FLOOR



Mezzanine Floor

Capacity: As Per Requirement
Lifting Height: As Per Requirement
Min Height: As Per Requirement
Length & Width: As Per Requirement

MULTI STORAGE MEZZANINE FLOOR



Multi Storage Mezzanine Floor

Capacity: As Per Requirement
Lifting Height: As Per Requirement
Min Height: As Per Requirement
Length & Width: As Per Requirement

TWO TIER RACK & MEZZANINE FLOOR



Two Tier Rack & Mezzanine Floor

Capacity: As Per Requirement
Lifting Height: As Per Requirement
Min Height: As Per Requirement
Length & Width: As Per Requirement

LOCKER & CABINET



STAFF LOCKER





Staff Locker

Capacity: As per Requirement

H*W*D:76*36*19

As per Requirement

ALMIRAH & FILE CABINET





Almirah & File Cabinet

Capacity: As Per Requirement
Lifting Height: As Per Requirement
Min Height: As Per Requirement
Length & Width: As Per Requirement

TOOLS TROLLEY & INDUSTRIAL WORK STATION





Tools Trolley

3 Drawer

5 Drawer

7 Drawer

Industrial Work Station

Size: 1500 * 750 * 1700

Drawer: 2 Nos

As Per Customize

LADDERS











Code 13

Rubber Wheel
Tower Ladder











Tiltable Tower Ladder




Code 17

Square Tower Ladder

Siz	e Avail	able
Closed		Extended
8'	to	14'
10'	to	17'
12'	to	21'
14'	to	25'
16'	to	29'
18'	to	32'
20"	to	35'
	de no. 4	
	e Avail	
6'		14'
8'		15'
10'		16'
12'		18'
		20'
		, 17 With
Winch	Gear N	Machine

Code No. 1, 5, 6, 7,12, 13, 17







www.mtechindia.co GST No.: 24CDCPP7763C1ZK





